

UNITED STATES PATENT APPLICATION

FOR

CATEGORY BASED USER INTERFACE FOR MANAGEMENT OF AUXILIARY
STORAGE ON A PORTABLE COMPUTER SYSTEM

Inventors:

Jesse Donaldson

David Creemer

Prepared by:

WAGNER, MURABITO & HAO LLP

Two North Market Street

Third Floor

San Jose, California 95113

CATEGORY BASED USER INTERFACE FOR MANAGEMENT OF
AUXILIARY STORAGE FOR A PORTABLE COMPUTER SYSTEM

5 BACKGROUND OF THE INVENTION

Field Of The Invention

Embodiments of the present invention relate to auxiliary add-in cards used in conjunction with portable electronic devices. More particularly, embodiments of the present invention provide a file structure (and graphical user interface) for storing and sharing information between a palmtop computer and a removable storage card, e.g., SD (secure digital) or MMC (multi-media cards), compact flash (CF), or MemoryStick™, etc.

15 Related ART

As the continuing advances in technology have enabled the further miniaturization of the components required in building computer systems, new categories of portable electronic devices and computer systems have been created. One of the newer categories of computer systems developed has been the portable, hand held, or "palmtop" computer system, commonly referred to as a personal digital assistant or PDA. Other examples of a palmtop computer system include electronic address books, electronic day planners, electronic schedulers and the like.

A palmtop computer system is a computer that is small enough to be held in the user's hand and as such is "palm-sized." As a result, palmtops are readily carried about in the user's briefcase, purse, and in some instances, in the user's pocket. By virtue of its size, the palmtop computer, being inherently lightweight, is therefore exceptionally portable and convenient.

To support the diminutive form of the palmtop computer, certain components and functions normally associated with full-sized computers have been reduced or redesigned to facilitate portable use. To conform with the size limitations of the palmtop computer, the hard drive, the component normally utilized for data storage, has been generally replaced with quantities of RAM (random access memory), ROM (read only memory), and with removable memory, e.g., flash memory, etc.

Conforming to the size of the palmtop computer, new types of media cards have been developed for the PDA. These new media cards are called auxiliary add-in cards, or are also called secure digital, SD cards, Compact Flash (CF), or multimedia cards or MMCs, or memory sticks. These media cards are inserted into the PDA through an accessible expansion slot thereby providing a mechanism to add functions to a PDA while continuing to conform to the size restrictions of the PDA. The advantage of having an expansion slot is the ability to use the auxiliary add-in cards for providing the PDA with an almost endless array of different information and applications. SD and MMC add-in cards, by virtue of their size, (at approximately 32 mm long by 24 mm wide by 2.4 mm

thick, are just slightly larger than a postage stamp) are easily carried by the user, and are also convenient to use.

Many users are familiar with the “copy” and “paste” functions used on a desktop computer to copy and move files from one place to another. For example, on a desktop computer, one can copy a file from a floppy disk and paste it onto the hard drive of the computer to make an identical copy of the file. The actual mechanism that facilitates the copy function can be a “drag and drop” function using a graphical user interface. However, many file structures used on a palmtop computer do not incorporate a "desktop analogous" method for managing data between the main memory on the palmtop device and a removable memory card associated with the palmtop device.

SUMMARY OF THE INVENTION

To appreciate the convenience of using expansion cards on a portable electronic device, a user friendly method of file sharing is presented. It would be advantageous to create a file structure on a palmtop computer that is easily recognizable to the user and requires little training to learn and that can be used to copy information between a main memory of a palmtop device and a removable memory card.

Accordingly, embodiments of the present invention provide a file structure for use with removable memory (expansion cards) that is operable with some existing functions existing already on a palmtop computer. The present invention further provides a method for sharing information on an expansion card with a palmtop computer. More specifically, an embodiment of the present invention provides a method for filing the information on an expansion card as a category of the palmtop computer.

In embodiments of the present invention, the files of an expansion card can be assigned to a special category or categories that are associated with external memory storage. In one implementation, applications that are on a PDA can be copied to a removable storage unit by changing the category the applications are assigned. For example, a game that is stored on the main memory of a PDA (category "games") can be copied to a removable memory card by simply changing the category the game is in to indicate a predetermined category associated with the

removable card (e.g., category "removable card1"). In one embodiment, the user has the option to keep the application in two categories. For example, after copying a game from the PDA to a removable memory card, the user can decide if the game will remain on the PDA or it will be removed therefrom.

5

Likewise, an application that is resident on a memory card can be copied to the memory of the PDA by changing its category name to a category associated with the PDA, e.g., "games." The present invention also provides a user interface that can be used to easily change the category of the application. In one

10 implementation, categories that are associated with external memory cards have a special visual indication to denote the external memory storage. Additionally, icons that are related to applications within categories that are associated with external memory cards can also be displayed with a special visual indicator denoting the external storage thereof.

15

These and other objects and advantages of the present invention will no doubt become obvious to those of ordinary skill in the art after having read the following detailed description of the preferred embodiments which are illustrated in the various drawing figures.

BRIEF DESCRIPTION OF THE FIGURES

The accompanying drawings, which are incorporated in and form a part of
5 this specification, illustrate embodiments of the invention and, together with the
description, serve to explain the principles of the invention:

Figure 1 is a system illustration of an exemplary Personal Digital Assistant
computer system connected to other computer systems and the Internet via a
10 cradle device.

Figure 2A is a top-side perspective view of an exemplary Personal Digital
Assistant computer system.

Figure 2B is a bottom side perspective view of the Personal Digital
Assistant computer system of Figure 2A.

Figure 3 is a logical block diagram of circuitry located within the exemplary
Personal Digital Assistant computer system of Figure 2A.

Figure 4 is an illustration of a Personal Digital Assistant having a plurality
of applications under the "ALL" category.

Figure 5 is an illustration of a Personal Digital Assistant having a plurality of applications in a category named "card" which denotes a removable storage memory device in accordance with embodiments of the present invention.

5 Figure 6 is an illustration of a Personal Digital Assistant having a function that edits the category of an application on a Personal Digital Assistant in accordance with an embodiment of the present invention.

10 Figure 7 is an illustration of the process of renaming the category of an application on a Personal Digital Assistant in accordance with an embodiment of the present invention.

15 Figure 8 is a flow chart illustrating the process of changing the category of an application from a given category to the "card" category in order to copy the application to a removable storage device in accordance with an embodiment of the present invention.

20 Figure 9 is an illustration of the contents of a category after an application has been copied to the category.

Figure 10 is an illustration of a Personal Digital Assistant comprising a plurality of applications that reside on main memory and removable memory.

Figure 11 is flow chart illustrating a process of changing the category of an application to a category stored on the main memory of a Personal Digital Assistant in accordance with an embodiment of the present invention.

5 Figure 12 is a flow chart illustrating a process of copying an application from a removable memory to the main memory of a Personal Digital Assistant in accordance with an embodiment of the present invention.

10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

DETAILED DESCRIPTION OF THE INVENTION

In the following detailed description of the present invention, a method and system for a category based user interface for management of information stored on an auxiliary storage device in a portable computer system, specific details are set forth in order to provide a thorough understanding of the present invention. However, it will be recognized by one skilled in the art that the present invention may be practiced without these specific details or with equivalents thereof. In other instances, well-known methods, procedures, components, and circuits have not been described in detail as not to unnecessarily obscure aspects of the present invention.

NOTATION AND NOMENCLATURE

Some portions of the detailed descriptions that follow are presented in terms of procedures, steps, logic blocks, processing, and other symbolic representations of operations on data bits within a computer memory. These descriptions and representations (e.g., process 800, 1100, 1200, etc.) are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. A procedure, computer executed step, logic block, process, etc., is here, and generally, conceived to be a self-consistent sequence of steps or instructions leading to a desired result. The steps are those that require physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred,

combined, compared, and otherwise manipulated in a computer system. It has proven convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like.

5

It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities. Unless specifically stated otherwise as apparent from the following discussions, it is appreciated that throughout the present invention, discussions utilizing terms such as “receiving”, “posting”, “opening”, “sending”, “monitoring”, “examining” or the like, refer to the action and processes of a computer system (e.g., Figure 3), or similar electronic computing device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system’s registers and memories into other data similarly represented as physical quantities within the computer system memories or registers or other such information storage, transmission or display devices.

EXEMPLARY PORTABLE COMPUTER PLATFORM AND SYSTEM

20 Referring now to Figure 1, a communication network or system 50 that may be used in conjunction with embodiments of the present invention is shown. It is appreciated that the method and system for a category based user interface for management of auxiliary storage can be used in conjunction with any

computer system and that system 50 is exemplary only. It is further appreciated that the portable computer system 100 described below is only exemplary.

System 50 comprises a host computer system 56 which can either be a
5 desktop unit as shown, or, alternatively, can be a laptop computer system 58.
Optionally, one or more host computer systems can be used within system 50.
Host computer systems 58 and 56 are shown connected to a communication bus
54, which in one embodiment can be a serial communication bus, but could be of
any of a number of well known designs, e.g., a parallel bus, Ethernet, Local Area
10 Network (LAN), etc. Optionally, bus 54 can provide communication with the
Internet 52 using a number of well-known protocols. Additionally, computer 100
can be connected to telephone network by a wired or wireless communications
channel which in one embodiment can be a telephone line, but could be of any
number of well-known designs. From this channel, Internet access can be
15 established.

Bus 54 may also be coupled to a cradle 60 for receiving and initiating
communication with a personal digital assistant computer system 100. Cradle 60
provides an electrical and mechanical communication interface between bus 54
20 (and anything coupled to bus 54) and computer system 100 for two-way
communications. Computer system 100 also contains a wireless communication
mechanism 64 for sending and receiving information from other devices. The
wireless communication mechanism 64 can use infrared communication or other
wireless communications such as a Bluetooth protocol.

With reference to Figure 2A, a perspective illustration of the top face 100a of exemplary personal digital assistant computer system 100 is shown. Top face 100a contains a display screen 105 surrounded by a bezel or cover. A

5 removable stylus 80 is also shown. Display screen 105 is a touch screen capable of registering contact between the screen and the tip of stylus 80. Stylus 80 can be fabricated of any material which can make contact with screen 105. Top face 100a also contains one or more dedicated and/or programmable buttons 75 for selecting information and causing computer system 100 to
10 implement functions. An on/off button 95 is shown as well.

A removable memory device 104 may be inserted into a receiving slot (expansion slot) 86 of the computer system 100. The expansion slot 86 can be located in any position, along any edge or face of the computer system 100. In
15 Figure 2A, the slot is shown in the upper left corner (along the top edge) as only one example.

Referring still to Figure 2A, a handwriting recognition pad or "digitizer" containing regions 106a and 106b is also shown. Specifically, region 106a is for
20 the drawing of alpha characters therein for automatic recognition and region 106b is for the drawing of numeric characters therein for automatic recognition. Stylus 80 is used for stroking a character within one of the regions 106a and 106b. The stroke information is then fed to an internal processor for automatic

character recognition. Once characters are recognized, they are typically displayed on screen 105 for verification and/or modification.

Figure 2B illustrates the bottom side 100b of one embodiment of Personal

5 Digital Assistant computer system 100. An optional extendible antenna 85 is shown, and a battery storage compartment door 90 is shown as well. A communication interface 108 is also shown. In one embodiment of the present invention, the serial communication interface 108 comprises a serial
10 known communication standards and protocols, e.g., parallel, small computer system interface (SCSI), Ethernet, Firewire (IEEE 1394), etc.

Referring now to Figure 3, a block diagram of exemplary Personal Digital Assistant computer system 100 is shown. Computer system 100 includes an
15 address/data bus 99 for communicating information, a central processor 101 coupled with bus 99 for processing information and instructions, a volatile memory unit 102 (e.g., random access memory, static RAM, dynamic RAM, etc.) coupled with bus 99 for storing information and instructions for central processor 101 and a non-volatile memory unit 103 (e.g., read only memory, programmable
20 ROM, flash memory, EPROM, EEPROM, etc.) coupled with bus 99 for storing static information and instructions for processor 101. As described above, computer system 100 also contains a display device 105 coupled to bus 99 for displaying information to the computer user.

Moreover, computer system 100 also includes a data storage device 104 (e.g., a removable memory device) for storing information and instructions. In one embodiment, data storage device 104, or a portion thereof, is removable from computer system 100. Removable memory 104 may be any of a number of well known removable media, such as a MemoryStick™, a secure digital (SD) card, a multi-media (MMC) card, a compact flash (CF) card, SmartMedia card, etc., and the like.

Also included in computer system 100 of Figure 3 is an optional alphanumeric input device 106 which, in one implementation, is a handwriting recognition pad ("digitizer") having regions 106a and 106b (Figure 2A), for instance. Device 106 can communicate information and command selections to central processor 101. Computer system 100 also includes an optional cursor control or directing device 107 coupled to bus 99 for communicating user input information and command selections to central processor 101. In one implementation, device 107 is a touch screen device incorporated with screen 105. In this implementation, device 107 is capable of registering a position on screen 105 where a stylus makes contact. Display device 105 utilized with computer system 100 may be a liquid crystal device (LCD), cathode ray tube (CRT), field emission device (FED, also called flat panel CRT) or other display device suitable for creating graphic images and alphanumeric characters recognizable to the user. In a currently preferred embodiment, display 105 is a flat panel display. Computer system 100 also includes signal communication interface 108, which is also coupled to bus 99, and can be a serial port for

communicating with cradle 60. Communication interface 108 can also include number of wireless communication mechanisms such as infrared or a Bluetooth protocol.

5 It is appreciated that computer system 100 described herein illustrates an exemplary configuration of an operational platform upon which embodiments of the present invention can be implemented. Nevertheless, other computer systems with differing configurations can also be used in place of computer system 100 within the scope of the present invention.

10 CATEGORY BASED USER INTERFACE FOR MANAGEMENT OF
INFORMATION STORED ON AUXILIARY MEMORY OF A PORTABLE
COMPUTER SYSTEM

15 Figure 4 is an illustration of a Personal Digital Assistant (PDA) 100 that comprises a plurality of information files, e.g., applications, data, documents, configuration information, etc., hereinafter, "files." The files may contain applications that are programs such as games, an address book, or calendar, etc. On PDA 100, there is a drop-down menu 150 that comprises the different
20 categories where files can be stored. Each file can be assigned to a category name. The user can create new category names, or amend existing names, in well known fashions. In accordance with the embodiments of the present invention, the user can define categories that relate only to storage on removable memory devices, e.g., expansion cards. Generally, by associating a file (stored

in non-removable memory) with a category name of the removable memory, that file becomes copied to the removable memory. Vice-versa, by associating a file (stored in removable memory) with a category name of the non-removable memory, that file becomes copied to the non-removable memory.

5

In this particular illustration of Figure 4, drop-down menu 150 reads "All." This selection will display information in all categories, e.g., icons of all of the files that are stored on PDA 100 including any information stored in the currently inserted expansion memory card 104 (Figure 3). In this example, only application files are stored. For example, application AP1 151 is displayed as an icon on the PDA. AP1 151 is an application that resides in one of the categories of drop-down menu 150. Also shown are other applications represented as icons AP2-AP6.

10

15

20

Figure 5 is an illustration of PDA 100 having a plurality of applications that are stored in the category "card." To display the files stored in the category "card," the user selects the label "card" from the drop-down menu 150. For descriptive purposes, "card" represents a category of files associated with the removable storage card. In one embodiment, once selected, only icons of the files stored in the "card" category will be displayed for easy user reference. In this embodiment, the category named "card" represents the removable storage unit 104 (Figure 3). As shown, applications 151, 155 and 153 are displayed on the computer screen 105 and relate to the files that are stored in the removable storage device 104.

In one embodiment, a removable storage card can have more than one category associated with the card. In another embodiment, the files stored on other removable storage cards (not inserted into the PDA) can be displayed upon the user selecting a category associated with those memories. However, the icons, in this case, will be displayed with visual attributes (such as being grayed out) to prevent the user from selecting those applications.

By having the removable storage unit 104 represented by a category in the drop-down menu 150, the present invention allows the user to use the category technique of storing data on PDA 100 to move data onto removable storage unit 104. In one embodiment, icon 180 is displayed next to the application icon to remind the user that the application is on the removable storage unit 104. For example, application AP1 151 has icon 180 next to the lower right corner of the icon for AP1 151. Icon 180 signals the user that the application is stored on the removable storage unit 104. Furthermore, category label 150 "card," can be displayed with a special display attribute (or associated icon) indicating that this category includes information that is stored on the memory card.

Figure 6 is an illustration of a PDA 100 having a function that edits the category of a file (e.g., application) on system 100 and by doing so is able to automatically move or "copy" the data. Dialog window 160 shows the files that are stored on PDA 100. Below the dialog box 160, there are numerous options

for manipulating the category in which an application resides. For example, if the user wanted to copy the application AP4 from the main memory 102 to the removable storage unit 104, the user would change the category of AP4 from its current category e.g., "games," to a new category associated with the removable card, e.g., "card." To do this, an application can be selected, and the change category button 18 can be selected to bring up a new dialog box as described in Figure 7. Alternatively, if a user wanted to "copy" an application from a removable storage card to the main memory of the PDA, the application would be selected, and the file's category can be changed from a category associated with the removable memory to a category associated with the main memory of the PDA.

In one embodiment, an attribute is associated with file names and/or the category names in the various drop-down menus, e.g., menu 160 (Figure 6 or menu 150 of Figure 10) to indicate removable memory storage. For example, if an application in the drop-down menu resides on the removable memory card, a check mark 162 (Figure 6) can be placed next to the name associated with the application to remind the user that the application is stored on the removable memory card. Furthermore, with respect to an application in the drop-down menu that is stored on a removable storage card not coupled to the PDA, the name associated with the application can be grayed out or italicized so the user is not able to select the application and to alert the user that the application is stored on a non-inserted removable memory card.

Regarding, category names, Figure 10 illustrates drop down menu 150. Category "Card" has an icon 180a to indicate that this category is related to removable storage. Furthermore, a category 180b in the drop-down menu 150 that is related to information stored on a removable storage card that is not presently coupled to the PDA, is grayed out or italicized so the user is not able to select that category. In another embodiment, a category can be password protected to prevent unauthorized use. In another embodiment, a password protected category can also be grayed out to prevent the user from selecting a particular application.

Figure 7 is an illustration of a PDA 100 in the process of renaming a file's category. Notice dialog box 160 wherein the text notifies the user that the category that AP4 is in is about to be changed to "card." At this point in the process, the user would select the OK button 161 to affirm the change of category. In one embodiment, once the category of the file is changed to the removable memory, the file, e.g., application, is automatically copied from its original memory space to the removable memory card. The name "card" that is given to the category representing the removable memory 104 is only a generic term used for descriptive purposes. The exact name of the category may be any name assigned to the card by the user or software used for embodiments of the present invention.

Figure 8 illustrates a process 800 that can be implemented as program code stored in computer readable memory units of a computer system and

executed by the processor of the computer system. Although a variety of different computer systems can be used with the present invention, an exemplary Personal Digital Assistant computer system. Figure 8 is a process flow chart 800 that illustrates the process of copying a file, e.g., an application, from the main memory 102 or 103 on PDA 100 to removable memory 104 (Figure 3). Step 801 is to insert the memory card 104 into the PDA 100. The next step 802 is to display a category of files where the category relates to information stored on memory 102 or memory 103. Next, the user selects the application (of a category that includes information stored in memory 102 or memory 103) that is going to be copied to the removable memory card 104. Once the application has been selected, the step 803 is to change the category to which the application is assigned to a category associated with the removable memory device. By changing the category of the application to "card," the application will be automatically copied to the removable memory card 104.

Figure 9 is an illustration of a PDA 100 comprising several files, e.g., applications, that are stored on the removable memory card 104 as a result of copying AP4 154 to the removable memory card. Notice that drop-down menu 150 displays "card" as the selected category. Optional icon 180b is present to denote that the associated category relates to a removable storage device. The category named "card" comprises files AP1 151, AP5 155, AP3 153 and AP4 154. The icons 180 that are next to the application icons are to remind the user that the applications are located on the removable memory 104 (Figure 3). Referring back to Figure 5, notice that there are only 3 applications in the "card"

category (AP1 151, AP3 153, and AP5 155). Referring back to Figure 9, notice that after changing the category of AP4 154 to "card," AP4 154 is now included in the category called "card."

5 Figure 10 is an illustration of PDA 100 after changing the category in the drop-down menu 150 to "all." Notice that the same six applications are displayed as in Figure 4. However, icon 180 allows easy recognition of the files, e.g., applications, that are stored on the removable memory. For example, in Figure 10, AP1, AP3, AP4 and AP5 have icon 180 next to them indicating that they are
10 stored on the removable memory 104 (Figure 3). Also note in drop down window 150 that icon 180a is displayed next to the card label within window 150. This also reminds the user that this category "card" relates to a removable memory.

 Figure 11 is a flow chart 1100 that describes the process of copying a file,
15 e.g., an application, from the removable memory 104 (Figure 3) to the main memory of the PDA 100. The steps are analogous to the steps in process 800 (Figure 8) except the name of the category is changed from "card" to a category that resides on the main memory of the PDA 100. For example, the first step
20 1101 of process 1100 is to insert the expansion card (removable memory 104 of Figure 3) into the PDA 100. The next step 1102 is to display a category that includes information displayed in the inserted expansion card then choose the application that is to be copied from the PDA 100 to the removable memory 104. Lastly, in step three 1103, the category of the application is changed to the category that represents the expansion card 104.

Figure 12 is a flow chart 1200 that represents an embodiment of the present invention that allows the user to keep a copy of a file in two different categories. For example, when an application is copied from the PDA 100 to an expansion card 104, the user has the option to keep both copies or just move it
5 form one category to another (e.g., eliminating the original copy).

The first step 1201 of process 1200 is to insert the expansion card into the PDA. Next, the category list is updated to represent the card as a new category.
10 In the category list, the card may be named "card" or it may be the name the user created for the card such as "games" or "address book." The next step 1203 is to choose the application that is to be copied. Then the next step 1204 is to change the category of the application to the category that represents the removable memory card. Next in step 1205, the application is copied from the main memory
15 of the PDA to the expansion card. Once completed, in step 1206, a dialog box will appear and ask the user if the application is to remain in the original category in addition to the expansion card. If the user answers "yes," the process is complete. If the user answers "no," in step 1207, the application that was copied will be removed from the category it was in prior to being copied.

20
If an application was to be copied from an expansion card to the PDA, the steps would be similar except the category would be changed from the category that represents the card to a category that is on the main memory of the PDA.

The similar operation of copying files makes it very easy for the user to copy and move applications from removable memory to the PDA.

The preferred embodiment of the present invention, category based user interface for management of information stored on auxiliary storage, is thus described. While the present invention has been described in particular embodiments, it should be appreciated that the present invention should not be construed as limited by such embodiments, but rather construed according to the following Claims.

The foregoing descriptions of specific embodiments of the present invention have been presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed, and obviously many modifications and variations are possible in light of the above teaching. The embodiments were chosen and described in order to best explain the principles of the invention and its practical application, to thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated. It is intended that the scope of the invention be defined by the Claims appended hereto and their equivalents.